



I2475PXQU

Ergonomic IPS business monitor with USB hub

Perfect for any office: This energy efficient and highly ergonomic 24" display boasts an accurate IPS panel, a USB hub and numerous input options including DisplayPort.

GENERAL

| | |
|-------------------|---------------|
| Model Name | I2475PXQU |
| EAN | 4038986145534 |
| Channel | B2B |
| Product line | Pro-line |
| Design family | 75 ID |
| Launch date (ETA) | 4/4/2016 |

SCREEN

| | |
|------------------------|--------------|
| Flat / Curved | Flat |
| Display hardness | 3H |
| Panel resolution | 1920x1080 |
| Resolution name | FHD |
| Aspect ratio | 16:9 |
| Panel type | IPS |
| Backlight type | WLED |
| Max Refresh rate | 60 Hz |
| Response time GtG | 4 ms |
| Static contrast ratio | 1000:1 |
| Dynamic contrast ratio | 200M:1 |
| Viewing angle (CR10) | 178/178 |
| Display colours | 16.7 Million |
| Brightness in nits | 250 cd/m2 |
| Pixel Pitch (mm) | 0.2745 |

ERGONOMICS

| | |
|--------------------|---------|
| Vesa wallmount | 100x100 |
| Pivot | Yes |
| Height adjust (mm) | 130mm |

CONNECTIVITY AND MULTIMEDIA

| | |
|----------------------|--|
| HDMI | HDMI 1.4 x 1 |
| DisplayPort | DisplayPort 1.1 x 1 |
| USB Hub speed | USB 2.0 + 3.0 (4 USB downstream ports) |
| USB downstream ports | 4 |
| D-SUB (VGA) | 1x |
| DVI | 1x DVI-D |

MULTIMEDIA

| | |
|---------------|-----------------------|
| Speakers | ✓ |
| Speaker power | 2 W x 2 |
| Audio Output | Headphone out (3.5mm) |

FEATURES

| | |
|--------------|--------------|
| Flicker-Free | Flicker Free |
|--------------|--------------|

SUSTAINABILITY

| | |
|---------------|---|
| TCO Certified | 7 |
|---------------|---|

POWER / ENVIRONMENTAL

| | |
|------------------------------------|--------------------|
| Power supply | Internal |
| Power source | 100 - 240V 50/60Hz |
| Power consumption standby in watts | 0.3 |
| Power consumption off in watts | 0.2 |
| Energy class | A |

PRODUCT DIMENSIONS

| | |
|--|------------------------------|
| Product dimensions incl. base (WxHxD) mm | 489(H) x 554.4(W) x 212.9(D) |
| Packaging dimensions (WxHxD) mm | 420(H) x 693(W) x 184(D) |
| Gross weight incl. package (in kg) | 7.7 |
| Net weight excl. package (in kg) | 5.53 |

WHAT'S IN THE BOX

| | |
|-------------------|-----|
| Displayport cable | 1.8 |
| Power cable C13 | 1.8 |
| D-SUB (VGA) cable | 1.8 |

OTHER INFORMATION

| | |
|------------------------|-----------------------------------|
| MTBF | 50.000 hours (excluded backlight) |
| MTBF (excluding panel) | 50.000 hours |