









165нz



CURVED MONITOR

G-MENU

LOW INPUT LAG

The curved AOC C27G2E has a 27" VA panel and a curvature radius of 1500R. Its frame rate of 165Hz, Adaptive Sync, 1 ms response time and low input lag ensure a stutter-free display and radiant picture quality.

- 165Hz Refresh Rate
- Adaptive sync
- Low Input Lag
- GMENU
- 1500R Curved

165HZ REFRESH RATE

A 165Hz refresh rate, well over twice the industry standard of 60Hz, makes games run smooth as silk. Realize the potential in your graphics card. Forget screen tearing and forget motion blur. Feel your reflexes become one with the action. Never look back.





ADAPTIVE SYNC

Adaptive Sync aligns your monitor's vertical refresh rate with the frame rate delivered by your GPU, making your gameplay and casual gaming experience even more fluid by eliminating stuttering, tearing and judder. This feature is also useful when enjoying videos and other visual media, for a smoother entertainment.

AOC GAMING C27G2E/BK

LOW INPUT LAG

Unleash your reflexes by switching to the AOC Low Input Lag mode. Forget graphical frills: this mode rewires the monitor in favour of raw response time, giving the ultimate edge in hair trigger stand offs.





GMENU

AOC G-Menu is a free tool that you can install on your PC to have complete customization paired with maximum convenience.

1500R CURVED

Curved design wraps around you putting you at the center of the action and provides an immersive gaming experience.



AOC GAMING C27G2E/BK

	VIDEO FEATURES		GAMING FEATURES	
C27G2E/BK	Sync technology	Adaptive Sync	Gaming	G-menu
AOC		ANAD Fuer Comp		1020/1000@1201.
Gaming	AMD FreeSynciii	Premium		1920x1080@120Hz
AOC Gaming	Blue Light Technology	Low Blue Light	Xbox X Compatibility	1920x1080@120Hz
G2			Xbox S	1920x1080@120Hz
6/15/2023	Colour space (sRGB) CIE 1931 %	99,3	Compatibility	
4038986111300	Colour space	97.1	CUCTAINADILITY	
	(sRGB) CIE 1976 %	57,1		
ATION	Colour space (DCI-P3) CIE 1931 %	88,9	Carton material	EPS
27,0			Carton material print	Color Print
68,6	Colour space (DCI-P3) CIE 1976 %	1,06		
Curved			POWER CONSUM	PTION
1500R	Colour space (Adobe RGB) CIE 1931 %	83,6	Power supply	Internal
Antiglare (AG)			Power	31,0
81,59			consumption on (typical) in watts	
1920x1080	Colour space (Adobe RGB) CIE 1976 %	88,6	Power consumption	0,3
16:9				
VA	Flicker-Free	Flicker Free		0,3
WLED	KVM	No	consumption off	0,3
165 Hz				
4 ms	CABINET INFORM	ATION	Energy class	E
	Bezel Colour (front)	Black, Red		
Response time 1 ms MPRT	Cabinet colour (backside)	Black, Red		
Static contrast 3000:1 ratio			HDMI	HDMI 2.0 x 2
	Cabinet finishing	Texture	DisplayPort	DisplayPort 1.2 x 1
80M:1		Ves	Audio Output	Headphone out (3.5mm)
150 /150			D-SUB (VGA)	٦x
178/178 			RJ45	No
16.7 Million				
250 cd/m2				
	ERGONOMICS			
	AOC Gaming AOC Gaming G2 6/15/2023 4038986111300 ATION 27,0 68,6 Curved 1500R Antiglare (AG) 81,59 1920x1080 16:9 VA WLED 165 Hz 4 ms 1 ms 3000:1 80M:1 178/178	C27G2E/BK AOC Gaming AOC Gaming Blue Light Technology (VRR) AOC Gaming C2 6/15/2023 Colour space (sRCB) CIE 1931 % Colour space (sRCB) CIE 1976 % ATION Colour space (pDC1-P3) CIE 1931 % 68,6 Curved Colour space (pDC1-P3) CIE 1931 % Colour space (pDC1-P3) CIE 1976 % 1500R Antiglare (AG) R1,59 Colour space (Adobe RGB) CIE 1931 % Colour space (Adobe RGB) CIE 1976 % Flicker-Free KVM WLED CABINET INFORM ABOM:1 Cabinet colour (backside) Cabinet finishing (backside) Removable stand T78/178 Kensington Lock Vesa wallmount MonitorWebcam	AOC Gaming AOC Caming AOC Caming AOC Caming Blue Light Technology Colour space (sRCB) CIE 1931 % ATION Colour space (sRCB) CIE 1976 % Colour space (sRCB) CIE 1976 % Colour space (pCI-P3) CIE 1931 % Colour space (DCI-P3) CIE 1976 % 1500R Colour space (Adobe RGB) CIE 1931 % Colour space (Adobe RGB) CIE 1931 % Colour space (Adobe RGB) CIE 1931 % Particular (AC) Responsible for the properties of the	C27G2E/BK Sync technology (VRR) Adaptive Sync (VRR) Caming convenience AOC AMD FreeSync™ AMD FreeSync Premium PS5 Compatibility AOC Gaming Blue Light Technology Low Blue Light Technology Xbox X Compatibility G2 Colour space (sRCB) CIE 1931 % 99.3 Compatibility 4038986111300 Colour space (sRCB) CIE 1931 % 97.1 SUSTAINABILITY ATION Colour space (sRCB) CIE 1931 % Carton material print 27,0 (DCI-P3) CIE 1931 % Carton material print 27,0 (DCI-P3) CIE 1976 % Power consumption 88,6 Colour space (DCI-P3) CIE 1976 % Power supply 1500R Colour space (Adobe RCB) CIE 1931 % Power supply 1500R Colour space (Adobe RCB) CIE 1931 % Power supply 16:9 1976 % Power supply VA Flicker-Free Flicker Free WLED KVM No Power consumption on (typical) in watts 1 ms Cabinet Inishing (backside) Energy class 1 ms Cabinet finishing (backside) Energy class

AOC GAMING C27G2E/BK

-4°±1°~21.5±1.5°

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm

612.4 x464.6x227.4

Product

612.37x367.33x73.16

dimensions excl. base (WxHxD) mm

686x523x214

Packaging dimensions (WxHxD) mm

Gross weight incl. package (in kg)

7,5

Net weight excl. package (in kg)

5,0

Product without stand (kg)

4,14

WHAT'S IN THE BOX

HDMI cable

8.0

Displayport cable

8.0

OTHER INFORMATION

Warranty period 3 years

AOC GAMING C27G2E/BK