

Q24G2AE/BK is a model suitable for all users who demand high performance. It boasts QHD resolution, low input lag and a wide color gamut combined with a height-adjustable stand. The refresh rate of 165 Hz, the fast response time of 1 ms MPRT and the support of Adaptive Sync technology of the Q24G2A/BK monitor eliminate image tearing and stuttering.

- QHD Resolution
- IPS Panel
- 165Hz Refresh Rate
- Minimal bezel distraction for the ultimate battle station
- Height adjustable Stand
- GMENU

## QHD RESOLUTION

With 2560 x 1440 resolution, Quad HD (QHD) offers superior picture quality and sharp imagery that reveals the finest details. The widescreen 16:9 aspect ratio provides plenty of space to spread out and work, plus allows you to enjoy games or movies in their original size.

Full HD 1920 x 1080
- an no 1920 X 1080

QHD 2560 x 1440



#### IPS PANEL

IPS panel ensures an excellent viewing experience with lifelike yet brilliant and accurate colours. Colours look consistent no matter from which angle you look at the display

# **165HZ REFRESH RATE**

A 165Hz refresh rate, well over twice the industry standard of 60Hz, makes games run smooth as silk. Realize the potential in your graphics card. Forget screen tearing and forget motion blur. Feel your reflexes become one with the action. Never look back.





### HEIGHT ADJUSTABLE STAND

Raise or lower the screen to suit each individual's height and seating preferences. The easy-to-adjust stand ensures hours of comfort.



Expand your view with multiple monitor set-up. The narrow border and frameless design offer the minimal bezel distraction for the ultimate battle station.





AOC G-Menu is a free tool that you can install on your PC to have complete customization paired with maximum convenience.

GENERAL	
Model Name	Q24G2A/BK
Brand	AOC
Channel	Gaming
Product type	Monitor
Product line	AOC Gaming
Classification	Superhero

#### **GAMING FEATURES**

**CABINET INFORMATION** 

Speakers

Speaker power

Gaming convenience	G-menu
Low Input Lag	Yes

Yes

2 W x 2

	Flat / Curved	Flat
	Panel treatment	Antiglare (AG)
	Panel resolution	2560x1440
3	Aspect ratio	16:9
	Panel type	IPS
	Backlight type	WLED
	Max Refresh rate	165 Hz
	Response time MPRT	lms
	Viewing angle (CR10)	178/178
	Display colours	16.7 Million
	Brightness in nits	350 cd/m2

**DISPLAY INFORMATION** 

23,8

Screen size (inch)

CONNECTIVITY INFORMATION	
HDMI	HDMI 2.0 x 1
Digital HDCP (HDMI version)	HDCP 2.2
DisplayPort	DisplayPort 1.2 x 1

NVIDIA G-SYNC™NVIDIA G-SYNC CompatibleColour space (sRCB) CIE 1931 %108,7Colour space (sRCB) CIE 1976 %117,6Colour space (DCI-P3) CIE 1931 %80,1Colour space (DCI-P3) CIE 1976 %93,7Colour space (Adobe RGB) CIE 1931 %80,5Colour space (Adobe RGB) CIE 1976 %100,8Colour space (Adobe RGB) CIE 1976 %77,0Colour space (NTSC) CIE 1931 %102,5Flicker-FreeFlicker Free	VIDEO FEATURES	
(sRGB) CIE 1931 %   Colour space (sRGB) CIE 1976 % 117,6   Colour space (DCI-P3) CIE 1931 % 80,1   Colour space (DCI-P3) CIE 1976 93,7   Colour space (DCI-P3) CIE 1976 80,5   Colour space (Adobe RGB) CIE 1931 % 100,8   Colour space (Adobe RGB) CIE 1976 % 77,0   Colour space (Adobe RGB) CIE 1976 % 102,5	NVIDIA G-SYNC™	
(sRGB) CIE 1976 %Colour space (DCI-P3) CIE 1931 %80,1Colour space (DCI-P3) CIE 1976 %93,7Colour space (Adobe RGB) CIE 1931 %80,5Colour space (Adobe RGB) CIE 1976 %100,8Colour space (Adobe RGB) CIE 1976 %77,0Colour space (NTSC) CIE 1976 %102,5		108,7
(DCI-P3) CIE 1931 %Colour space (DCI-P3) CIE 1976 %93,7Colour space (Adobe RGB) CIE 1931 %80,5Colour space (Adobe RGB) CIE 1976 %100,8Colour space (Adobe RGB) CIE 1976 %100,8Colour space (Adobe RGB) CIE 1976 %77,0Colour space (NTSC) CIE 1931 %102,5		117,6
(DCI-P3) CIE 1976%Colour space (Adobe RGB) CIE 1931 %80,5Colour space (Adobe RGB) CIE 1976 %100,8Colour space (Adobe RGB) CIE 1976 %100,8Colour space (NTSC) CIE 1931 %77,0Colour space (NTSC) CIE 1976 %102,5	(DCI-P3) CIE 1931	80,1
(Adobe RGB) CIE 1931 %100,8Colour space (Adobe RGB) CIE 1976 %100,8Colour space (NTSC) CIE 1931 %77,0Colour space (NTSC) CIE 1976 %102,5	(DCI-P3) CIE 1976	93,7
(Adobe RGB) CIE 1976 %77,0Colour space (NTSC) CIE 1931 %77,0Colour space (NTSC) CIE 1976 %102,5	(Adobe RGB) CIE	80,5
(NTSC) CIE 1931 % Colour space 102,5 (NTSC) CIE 1976 %	(Adobe RGB) CIE	100,8
(NTSC) CIE 1976 %		77,0
Flicker-Free Flicker Free		102,5
	Flicker-Free	Flicker Free

PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	539.1x(374.6~504.6)x227.4
Product dimensions exc base (WxHxD) mm	539.1x322.1x47.2 cl.
Packaging dimensions (WxHxD) mm	605x492x184
Gross weight ir package (in kg)	
Net weight exc package (in kg)	
Product withou stand (kg)	ut 3,35