

- Height adjustable Stand
- Full Ergonomics
- Pivot function

DISPLAY PORT

DisplayPort offers ultra-fast digital audio and video transmission without quality loss or input lag. Quickly and easily connect a range of devices to your screen, including your computer, laptop, media player, game console and more. It's perfect for professionals as well as the most demanding home users.



MINIMAL BEZEL DISTRACTION FOR THE ULTIMATE BATTLE STATION

Expand your view with multiple monitor set-up. The narrow border and frameless design offer the minimal bezel distraction for the ultimate battle station.

HDMI

HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).





FULL ERGONOMICS

Feel the comfort! AOC's height, tilt and swiveladjustable stands help you find the most comfortable and healthy position.

HEIGHT ADJUSTABLE STAND

Raise or lower the screen to suit each individual's height and seating preferences. The easy-to-adjust stand ensures hours of comfort.



PIVOT FUNCTION

Thanks to its pivot function, your monitor can be rotated by 180° from landscape into portrait mode, especially useful for desktop publishing.

GENERAL	
Model Name	AG275QXE
Brand	AOC
Channel	Gaming
Product type	Monitor
Product line	AGON
Classification	Superhero

GAMING FEATURES

Gaming convenience	G-menu
Low Input Lag	Yes

No

onvenience	
ow Input Lag	Yes

CABINET INFORMATION

Light FX (RGB)

Net weight excl. package (in kg)

DISPLAY INFORMATION	
Screen size (inch)	27,0
Panel treatment	Antiglare (AG)
Panel resolution	2560x1440
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	170 Hz
Response time MPRT	1 ms
Viewing angle (CR10)	178/178
Display colours	1.07 Billion
Brightness in nits	400 cd/m2

VIDEO FEATURES	
Digital Signal Frequency Vertical	HDMI: 48~144Hz (HDMI) / DP: 48~170Hz
Digital Signal Frequency Horizontal	HDMI: 30~230kHz / 30~255kHz
HDR (High Dynamic Range)	VESA Certified DisplayHDR™ 400
Colour space (sRGB) CIE 1931 %	98,0
Colour space (DCI-P3) CIE 1976 %	94,0
Flicker-Free	Flicker Free

PRODUCT DIMENSIONS 613.4x(411.1~561.1)x231.8 Product dimensions incl. base (WxHxD) mm 613.4x365.7x50.3 Product dimensions excl. base (WxHxD) mm Packaging 527x715x225 dimensions (WxHxD) mm Gross weight incl. 11,2 package (in kg)

6,45

CONNECTIVITY INFORMATION	
HDMI	HDMI 2.0 x 2
DisplavPort	DisplavPort 1.4 x 2