



# 24E4U

**Upgrade your workspace with the 24E4U 24" FHD professional monitor**

The 24E4U offers a 24" FHD display with a 120Hz refresh rate, delivering crisp, smooth visuals for an enhanced viewing experience. Its Height Adjustable Stand (HAS) provides ergonomic flexibility, while the hardware-based anti-blue light feature helps reduce eye strain during extended use. With Adaptive Sync technology for seamless performance and a 5-year warranty for lasting reliability, this monitor is a practical and dependable addition to any workspace.

GENERAL	
Model Name	24E4U
EAN	4038986142779
Channel	B2B
Product line	Essential-line
Design family	E4
Launch date (ETA)	7/15/2025

**SCREEN**

Screen size (inch)	23.8
Screen size (cm)	60.4
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	120 Hz
Response time GtG	4 ms
Static contrast ratio	1500:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2745
Pixels per Inch	93

**EXTERIOR**

Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

**ERGONOMICS**

Vesa wallmount	100x100
Tilt	-5/+23
Swivel	175°±5
Pivot	-90°~90°
Height adjust (mm)	150mm

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.2 (Gen 1)
USB downstream ports	4
USB fast charge port	✓
D-SUB (VGA)	1x

**MULTIMEDIA**

Speakers	✓
Speaker power	2 W x 2
Audio Output	1x Audio out

**FEATURES**

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Anti Blue Light
Flicker-Free	Flicker Free
Kensington Lock	✓

**SUSTAINABILITY**

TCO Certified	10
Energy star	Energy star 8
EPEAT	Yes (any level)

**WHAT'S IN THE BOX**

HDMI cable	1.8
Displayport cable	1.8
Power Cable	✓
Power cable C13	1.8

**OTHER INFORMATION**

MTBF	70.000 hours (excluded backlight) + 30.000 hours (including backlight)
------	--