

The C27G1 has a 1800R curved, frameless 27" VA panel in Full HD with 144 Hz refresh rate, 1 ms MPRT and FreeSync Premium, aimed at competitive and casual gamers. It features a fully ergonomic stand and 3-sides frameless design.

- Freesync Premium
- Minimal bezel distraction for the ultimate battle station
- 1800R Curved
- Height adjustable Stand
- 144Hz Refresh Rate

FREESYNC PREMIUM

Enjoy the best quality visuals even in fast paced games. The AMD FreeSync Premium Technology ensures that the GPU's and monitor's refresh rates are synchronised, which provides a fluid, tear free gaming experience at highest performance. The AMD FreeSync Premium features a refresh rate of minimum 120Hz, decreasing blur and sharpening the picture for a more life-like experience. The LFC feature eliminates the risk of stutter in case the frame rate drops below the refresh rate.







MINIMAL BEZEL DISTRACTION FOR THE ULTIMATE BATTLE STATION

Expand your view with multiple monitor set-up. The narrow border and frameless design offer the minimal bezel distraction for the ultimate battle station.

1800R CURVED

Curved design wraps around you putting you at the center of the action and provides an immersive gaming experience.





HEIGHT ADJUSTABLE STAND

Raise or lower the screen to suit each individual's height and seating preferences. The easy-to-adjust stand ensures hours of comfort.

144HZ REFRESH RATE

Equip yourself with twice the frame rate of other monitors and say goodbye to image stuttering and blurry motion. With a 144Hz refresh rate every frame is rendered sharply and in smooth succession, so you can line up your shots accurately and appreciate high speed races in all their glory.



Model Name CZ7G1 Sync technology (NRR) Freegror (NRR) WEEE Yes Channel Gaming Blue Light Technology Low Blue Light Technology Mccounty free Yes Design family G1 Colour space (Adobe RGB) CIE 1931 % 1020 Recycable packaging material EAN 4038986186508 Colour space (Adobe RGB) CIE 1931 % Power supply External EXPLAY INFORMATION Flicker-Free Flicker Free Power consumption on (Energystat text method) in watts Screen size (Inch) 27.0 Cabinet TinFORMATION Power consumption on (Energystat text method) in watts Screen size (Inch) 27.0 Cabinet Colour (Inch) Black, Red (Inch) Power consumption on (Energystat text method) in watts Flot / Curved Coved (Inch) Each Colour (Inch) Black, Red (Inch) Power consumption on (Energystat text method) in watts Splay hardness 3H Each Colour (Inch) Black, Red (Inch) Power consumption on (Energystat text method) in watts Panel resolution 1920x10890 Removable stand (Yes Power consumption on (Energystat text method) in watts Backlight type VLED Ves	GENERAL		VIDEO FEATURES		SUSTAINABILITY	
Channel Gaming Blue Light Technology Low Blue Light Technology Mercury fire Yes Design family CI Colour space (Adobe RCB) CIE 1931 % 102.0 Recycable packaging material 100.% recycable packaging material EAN 4038986186506 Colour space (Adobe RCB) CIE 1931 % 75.0 POWER CONSUMPTION Screen size (inch) 27.0 Flicker-Free Flicker Free Power supply External Screen size (inch) 27.0 CABINET INFORMATION Power supply 23.0 consumption on consumption on standard process and process a	Model Name	C27G1	-		WEEE	Yes
Design family	Channel	Gaming	<u> </u>		Mercury free	Yes
Design family GI Colour space (RPG) (EROB) CIE 1931 % 102,0 material material Image: Power supply (Adobe RGB) CIE 1931 % POWER CONSUMPTION POWER CONSUMPTION Power supply (External Development of the power supply (Adobe RGB) CIE 1931 % Power supply (External Development of the power supply (External Development of	Product line	AOC Gaming		Low Blue Light		100 % recycable
EAN	Design family	G1	Colour space	102,0		
Addbe RCB CIE 1931 % Power supply External Power supply Power supply External Power supply Po	Launch date (ETA)	6/28/2018	(sRGB) CIE 1931 %			
1931 % Power supply External 1931 % Power supply External 1931 % Power supply External 1931 % Power supply Power supply Power supply 1931 % 1931 % Power supply 1931 % 1931 % Power supply 1931 %	EAN	4038986186506		75,0	POWER CONSUM	PTION
Screen size (Inch) 27,0					Power supply	External
Screen size (micr) 27,0 Screen size (cm) 68,58 Flat / Curved Curved Curved (Packside) Display hardness 3H (backside) Pewel Pitch (mm) 0,3114 Panel resolution 1920x1080 Aspect ratio 16.9 Panel type VA (Pashingth type WLED (Packside) Max Refresh rate 144 Hz (Pasponse time CtG CtG CtG CtG CtG CtG) Response time MPRT 1 ms (Path adjust ratio CtG) Display colours 16,7 Million Black, Red (Packside) Power (backside) Removable stand Ves (Packside) Response time (Packside) Resp	DISPLAY INFORMATION		Flicker-Free	Flicker Free		23,0
Screen size (cm) 68,58 CABINET INFORMATION Excitor (front) Explain (front)	Screen size (inch)	27,0			(Energystar test	
Curvature Radius 1800R Display hardness 3H Pixel Pitch (mm) 0.3114 Aspect ratio 16:9 Removable stand Ves Aspect ratio 16:9 Response time Otto Cott Response time APRIT Static contrast ratio Dynamic contrast ratio Dynamic contrast ratio Display colours Bightness in nits 250 cd/m2 Fixel Pitch (mm) 0.3114 Cabinet colour (backside) Cabinet finishing (backside) Texture Texture Texture Fexture Texture Toosumption after one standly in watts Texture Tex	Screen size (cm)	68,58	CABINET INFORM	ATION		
Curvature Radius 1800R Cabinet colour (backside) Pixel Pitch (mm) 0.3114 Panel resolution 1920x1080 Panel type VA Backlight type WLED Max Refresh rate 144 Hz Response time MPRT Static contrast ratio Power and of the first of the f	Flat / Curved	Curved		Black, Red	consumption standby in watts Power consumption off	0,5
Display hardness 3H (backside) Power consumption off (backside) Power consumption of (backside) Power consumption of (backside) Power consumption of (backside) Power consumption off (backside) Power consumption of (backside)	Curvature Radius	1800R		Plack Dod		
Panel Pitch (mm) 0.3114 Cabinet finishing (backside) Texture [backside] Texture [backside	Display hardness	3H		DIACK, REU		0,5
Aspect ratio 16:9 Removable stand Yes Removable stand Yes Renovable stand Yes Removable stand Yes Response time OfG Response time MPRT Response time OfG Response time OfG Response time MPRT Static contrast ratio Dynamic contrast ratio Viewing angle (CRIO) Display colours 16:7 Million Brightness in nits 250 cd/m2 Removable stand Yes REGULATORY COMPLIANCE CB Yes EAC Yes FCC Yes Microsoft WHQL Yes Pixel policy ISO 9241-307 FCC Yes FCC Yes FCC Yes CONNECTIVITY INFORMATION FOMMORPO, Action, RTS, FPS (eSports), Beat mup, Racing D-SUB (VGA) Ix REMOVAPLIANCE A GROWPLIANCE REGULATORY COMPLIANCE CB Yes FAC Yes FCC	Pixel Pitch (mm)	0,3114		Texture		
Aspect ratio 16:9 Panel type VA Backlight type WLED Max Refresh rate 144 Hz Response time GTG Response time MPRT Static contrast ratio Dynamic contrast ratio Viewing angle (CR10) Display colours Brightness in nits Panel type VA Kensington Lock Yes Kensington Lock Yes Yes Personomics Tilt -4/21.5 FCC Yes FCC Yes Microsoft WHQL Yes Microsoft WHQL Yes CONNECTIVITY INFORMATION HDMI 1.4 x 2 DisplayPort DisplayPort 1.2 x 1 Audio Output Headphone out (3.5 mm) D-SUB (VGA) Ix Game mode REGULATORY COMPLIANCE REGULATORY COMPLIANCE REGULATORY COMPLIANCE CB Yes Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes FIXE FCC Yes Microsoft WHQL Yes FIXE FOC Yes FCC Yes FCC Yes FCC Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes FIXE FCC Yes FC	Panel resolution	1920x1080			Energy class	F
Backlight type WLED Wesa wallmount 100x100 CB Yes Yes Yes ISO 9241-307 Yes EAC Yes CITIT -4/21,5 FCC Yes Response time (nm) RPRT Static contrast ratio Dynamic contrast ratio Viewing angle (CR10) Display colours Brightness in nits 250 cd/m2 Vesa wallmount 100x100 CB Yes ISO 9241-307 FAC Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes CONNECTIVITY INFORMATION CONNECTIVITY INFORMATION RTS, FPS, Racing, Gamer 1, Gamer 2, Off D-SUB (VGA) D-SUB (VGA) Ix REGULATORY COMPLIANCE REGULATORY COMPLIANCE CB Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes FCC Yes FCC Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC Yes Microsoft WHQL Yes FCC	Aspect ratio	16:9		Yes		
Max Refresh rate 144 Hz ERGONOMICS Tilt -4/21,5 EAC Yes	Panel type	VA			REGULATORY CON	MPLIANCE
Response time GtG Response time MPRT Tilt -4/21,5 Response time MPRT Tilt -4/21,5 FCC Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes Static contrast ratio Swivel -34/34 Pixel policy ISO 9241-307 Formatio Dynamic contrast ratio Pivot No CONNECTIVITY INFORMATION HDMI 1.4 x 2 CONNECTIVITY INFORMATION Brightness in nits FORMATION FORMATION Audio Output Headphone out (3.5mm) Formation Formation RTS, FPS, Racing, Gamer 1, Gamer 2, Off Gaming Gaming Gaming Gamer 1, Gamer 2, Off Gaming Gaming Gamenu	Backlight type	WLED	Vesa wallmount	100x100	СВ	Yes
Response time GtG Response time MPRT Response time MPRT I ms Height adjust (mm) Swivel Pivot No CONNECTIVITY INFORMATION HDMI 1.4 x 2 Gaming style Brightness in nits 250 cd/m2 FCC Yes FCC Yes FCC Yes FCC Yes FCC Yes Microsoft WHQL Yes FCC FCC FCC Yes FCC FCC FCC FCC FCC FCC FCC F	Max Refresh rate	144 Hz	EDCONOMICS		ISO 9241-307	Yes
Response time MPRT Response time MPRT Response time MPRT Static contrast ratio Dynamic contrast ratio Dynamic contrast ratio Response time MPRT Microsoft WHQL Yes Pixel policy ISO 9241-307 CONNECTIVITY INFORMATION HDMI HDMI 1.4 x 2 FOR MINITY INFORMATION FOR MINITY INFORMATION FOR MINITY INFORMATION AUDIT INFORMATION Display colours 16.7 Million Brightness in nits 250 cd/m2 FOR MICROSOFT WHQL Yes Monity Pixel policy ISO 9241-307 FOR MICROSOFT WHQL Yes MICROSOFT WHQL Yes FOC Yes Microsoft WHQL Yes CONNECTIVITY INFORMATION HDMI HDMI 1.4 x 2 DisplayPort 1.2 x 1 Audio Output Headphone out (3.5mm) D-SUB (VGA) 1x FOR MICROSOFT WHQL FOR MICROSOFT WHQL FOR MICROSOFT WHQL MICROSOFT WHQL FOR MICROSOFT WHQL MICROSOFT WHQL FOR MICROSOFT WHO FOR MICROS		4 ms		-4/21.5	EAC	Yes
MPRT Static contrast ratio Dynamic contrast ratio No CONNECTIVITY INFORMATION HDMI HDMI 1.4 x 2 Gaming style Gaming style Shooters, MMORPG, Action, RTS, FPS (eSports), Beat'm up, Racing Up, Racing Caming Style Caming Game mode RTS, FPS, Racing, Gamer 1, Gamer 2, Off Gaming Gamer 1, Gamer 2, Off Caming Gaming Gamer 1 Swivel -34/34 Pixel policy ISO 9241-307 CONNECTIVITY INFORMATION HDMI HDMI 1.4 x 2 DisplayPort DisplayPort 1.2 x 1 Audio Output Headphone out (3.5mm) D-SUB (VGA) 1x	Response time	1 ms	Height adjust		FCC	Yes
ratio Pivot No Dynamic contrast ratio Pivot No CONNECTIVITY INFORMATION HDMI HDMI 1.4 x 2 Fix Audio Output Headphone out (3.5mm) Brightness in nits Pightness in nits 250 cd/m2 Fix Audio Output Headphone out (3.5mm) Camer 1, Gamer 2, Off Gaming Gamen 1, Gamer 2, Off Gaming Gamen 0 Fix Audio Output Headphone out (3.5mm) DisplayPort 1.2 x 1 Audio Output Headphone out (3.5mm) D-SUB (VGA) 1x					Microsoft WHQL	Yes
Dynamic contrast ratio Viewing angle (CR10) Display colours Brightness in nits 250 cd/m2 Fivot No CONNECTIVITY INFORMATION HDMI HDMI 1.4 x 2 DisplayPort 1.2 x 1 MMORPG, Action, RTS, FPS (eSports), Beat'm up, Racing Up, Racing Game mode RTS, FPS, Racing, Gamer 1, Gamer 2, Off Gaming Gaming Gaming Gaming Gamenu CONNECTIVITY INFORMATION HDMI HDMI 1.4 x 2 DisplayPort 1.2 x 1 Audio Output Headphone out (3.5mm) D-SUB (VGA) 1x		3000:1	Swivel	-34/34	Pixel policy	ISO 9241-307
ratioGAMING FEATURESHDMIHDMI 1.4 x 2Viewing angle (CR10)178/178Gaming styleShooters, MMORPG, Action, RTS, FPS (eSports), Beat'm up, RacingDisplayPortDisplayPort 1.2 x 1Brightness in nits250 cd/m2250 cd/m2Audio Output (3.5mm)Headphone out (3.5mm)Game modeRTS, FPS, Racing, Gamer 1, Gamer 2, OffD-SUB (VGA)1xGamingG-menu			Pivot	No		
Viewing angle (CR10) Display colours Brightness in nits Z50 cd/m2 Caming style Caming style Shooters, MMORPG, Action, RTS, FPS (eSports), Beat'm up, Racing Gamer 1, Gamer 2, Off Caming Gaming style Shooters, MMORPG, Action, RTS, FPS (eSports), Beat'm up, Racing Camer 1, Gamer 2, Off Caming Gaming Gaming Gaming Gaming Gamenu HDMI 1.4 x 2 DisplayPort 1.2 x 1 Audio Output Headphone out (3.5mm) D-SUB (VGA) 1x		80M:1			CONNECTIVITY IN	FORMATION
CCR10) Display colours Display colours Display colours 16.7 Million Brightness in nits 250 cd/m2 Came mode RTS, FPS, Racing, Gamer 1, Gamer 2, Off Caming Gaming Gaming style Shooters, MMORPG, Action, RTS, FPS (eSports), Beat'm up, Racing D-SUB (VGA) 1x Came mode Caming Gamer 1, Gamer 2, Off Caming Gamenu		178/178	GAMING FEATURES		HDMI	HDMI 1.4 x 2
Display colours 16.7 Million Brightness in nits 250 cd/m2 Came mode RTS, FPS (eSports), Beat'm up, Racing RTS, FPS, Racing, Gamer 1, Gamer 2, Off Caming Gaming G-menu Audio Output Headphone out (3.5mm) D-SUB (VGA) 1x			Gaming style	MMORPG, Action, RTS, FPS (eSports), Beat'm	DisplayPort	DisplayPort 1.2 x 1
Brightness in nits 250 cd/m2 Up, Racing D-SUB (VGA) 1x Game mode RTS, FPS, Racing, Gamer 1, Gamer 2, Off Gaming G-menu	Display colours	16.7 Million			Audio Output	
Game mode RTS, FPS, Racing, Gamer 1, Gamer 2, Off Gaming G-menu	Brightness in nits	250 cd/m2			D-SUB (VGA)	
			Game mode	Gamer 1, Gamer 2,		
				G-menu		

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD)

535(H) × 612(W) ×

nsions incl. 245(D)

mm

Packaging dimensions (WxHxD) mm 473(H) x 694(W) x

250(D)

Gross weight incl. package (in kg)

8,083

Net weight excl. package (in kg) 6,11

WHAT'S IN THE BOX

HDMI cable 1.8

Displayport cable 1.8

Power cable C13 1.8

OTHER INFORMATION

Warranty period 3 years