

I220SWH

Sharp, clear viewing from every angle

This high-performance all-purpose monitor has an IPS screen for rich, accurate colors and extra-wide viewing angles. The 3-sided frameless design and slim profile add style to your home or office.

GENERAL

| | |
|-------------------|---------------|
| Model Name | I220SWH |
| EAN | 4038986126113 |
| Channel | B2C |
| Product line | Basic-line |
| Launch date (ETA) | 8/1/2017 |

SCREEN

| | |
|------------------------|--------------|
| Screen size (inch) | 21.5 |
| Flat / Curved | Flat |
| Display hardness | 3H |
| Panel resolution | 1920x1080 |
| Resolution name | FHD |
| Backlight type | WLED |
| Max Refresh rate | 60 Hz |
| Response time GtG | 5 ms |
| Static contrast ratio | 1000:1 |
| Dynamic contrast ratio | 20M:1 |
| Display colours | 16.7 Million |
| Brightness in nits | 250 cd/m2 |
| Pixel Pitch (mm) | 0.24795 |

ERGONOMICS

| | |
|----------------|---------|
| Vesa wallmount | 100x100 |
|----------------|---------|

CONNECTIVITY AND MULTIMEDIA

| | |
|-------------|--------------|
| HDMI | HDMI 1.4 x 1 |
| D-SUB (VGA) | 1x |

MULTIMEDIA

| | |
|---------------------|-----------------------|
| Built-in Microphone | - |
| Audio Output | Headphone out (3.5mm) |

FEATURES

| | |
|-----------------------|----------------|
| Blue Light Technology | Low Blue Light |
| Flicker-Free | Flicker Free |

SUSTAINABILITY

| | |
|---------------|---|
| TCO Certified | 7 |
|---------------|---|

POWER / ENVIRONMENTAL

| | |
|------------------------------------|--------------------|
| Power supply | External |
| Power source | 100 - 240V 50/60Hz |
| Power consumption standby in watts | 0.5 |
| Power consumption off in watts | 0.5 |
| Energy class | A |

PRODUCT DIMENSIONS

| | |
|--|-----------------------------------|
| Product dimensions incl. base (WxHxD) mm | 195.11(H) x 489.76(W) x 368.39(D) |
| Packaging dimensions (WxHxD) mm | 382(H) x 552(W) x 118(D) |
| Gross weight incl. package (in kg) | 4.38 |
| Net weight excl. package (in kg) | 3.13 |

WHAT'S IN THE BOX

| | |
|-------------------|-----|
| HDMI cable | 1.5 |
| Power cable C13 | 1.2 |
| D-SUB (VGA) cable | 1.2 |

OTHER INFORMATION

| | |
|------------------------|-----------------------------------|
| MTBF | 50.000 hours (excluded backlight) |
| MTBF (excluding panel) | 50.000 hours |

