



24P1/GR

3-sides borderless 23.8" IPS display with Full HD

Sleek and elegant thanks to 3-sides borderless design, achieved thanks to the newest IPS panel in FHD (1920x1080px) resolution. Includes full range of display inputs (VGA, DVI, HDMI, DisplayPort), built-in speakers and improved ergonomic stand with height adjustment.

GENERAL

Model Name	24P1/GR
EAN	4038986146647
Channel	B2B
Product line	Pro-line
Design family	P1
Launch date (ETA)	7/29/2018

SCREEN

Screen size (inch)	23.8
Screen size (cm)	60.452
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	5 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.2745

EXTERIOR

Bezel type (front)	3-sided frameless
Bezel Colour (front)	Grey
Bezel finishing (front)	Texture
Cabinet colour (backside)	Grey
Cabinet finishing (backside)	Texture

ERGONOMICS

Vesa wallmount	100x100
Tilt	-5/35
Swivel	-175/175
Pivot	Yes
Height adjust (mm)	150mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.0 (4 USB downstream ports)
USB downstream ports	4
USB fast charge port	✓
D-SUB (VGA)	1x

MULTIMEDIA

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES

Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	✓

SUSTAINABILITY

TCO Certified	7
Energy star	Energy star 8

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.32
Power consumption off in watts	0.23
Energy class	E

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	518.9(H) x 539.1(W) x 202.5(D)
Packaging dimensions (WxHxD) mm	408(H) x 752(W) x 59(D)
Gross weight incl. package (in kg)	6.55
Net weight excl. package (in kg)	4.6

WHAT'S IN THE BOX

HDMI cable	1.8
Displayport cable	1.8
Power cable C13	1.8