

## Enhanced connectivity and stunning visuals in a 23.8" Full HD display with USB-C and KVM

Designed for today's professionals, the 24P2C has a flat 23.8" IPS/3FL panel with Full HD resolution in a slim, elegant, 3-sided frameless display with built-in KVM switch and USB 3.2 hub. Feature-rich, this model is compatible with HDMI, DP, and USB-C, has a 75Hz refresh rate, 250 cd/m2 brightness, 4ms response time and Adaptive-Sync, and is fully height adjustable, swivelable, and tiltable.



## Features




### USB-C Docking

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery.



### Full Ergonomics

Feel the comfort! AOC's height, tilt and swivel-adjustable stands help you find the most comfortable and healthy position.



### IPS Panel

IPS panel ensures an excellent viewing experience with lifelike yet brilliant and accurate colours. Colours look consistent no matter from which angle you look at the display



### Frameless design

Besides looking modern and attractive, frameless designs enable seamless multi-monitor setups. Your cursor/windows will not be lost anymore in the dark abyss of bezels, when many displays are placed side by side.



### KVM

Share one single keyboard, mouse and monitor between multiple computers with KVM switch hardware.



### Pivot function

Thanks to its pivot function, your monitor can be rotated by 180° from landscape into portrait mode, especially useful for desktop publishing.

GENERAL	
Model Name	24P2C
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	7/1/2020
EAN	4038986147309

DISPLAY INFORMATION	
Screen size (inch)	23,8
Screen size (cm)	60,452
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,2745
Pixels per Inch	92,0
Panel resolution	1920x1080
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2

VIDEO FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Colour space (sRGB) CIE 1931 %	107,0
Colour space (Adobe RGB) CIE 1931 %	79,0
Flicker-Free	Flicker Free
KVM	1x USB3.2 Gen 2 type C + 1x type B

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture
Removable stand	Yes
Speaker power	2 W x 2
Kensington Lock	Yes
Vesa wallmount	100x100

ERGONOMICS	
Tilt	-5/35
Height adjust (mm)	150mm
Swivel	-180/180
Pivot	Yes

SUSTAINABILITY	
TCO Certified	8
Energy star	Energy star 8
EPEAT	Gold
WEEE	Yes
REACH compliant	Yes
RoHs compliant	Yes
HF	Yes
PVC/BFR free housing	Yes
Mercury free	Yes
Recycable packaging material	100 % recycable
Post-consumer recycled plastic	85%

POWER CONSUMPTION	
Power supply	Internal
Power consumption standby in watts	0,3
Power consumption off in watts	0,3
Energy class	D

REGULATORY COMPLIANCE	
CB	Yes
CE	Yes
TUV-GS-Mark	Yes
ISO 9241-307	Yes
FCC	Yes
Microsoft WHQL	Yes

CONNECTIVITY INFORMATION	
HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	Yes
USB type downstream	4
USB fast charge port	Yes
Audio Output	Headphone out (3.5mm)
USB generation	USB 3.2 (4 USB downstream ports)

PRODUCT DIMENSIONS	
Product dimensions incl. base (WxHxD) mm	513(H) x 540.2(W) x 200.1(D)
Product dimensions excl. base (WxHxD) mm	326.4(H) x 540.2(W) x 50.7(D)
Packaging dimensions (WxHxD) mm	525(H) x 610(W) x 160(D)
Gross weight incl. package (in kg)	7,27
Net weight excl. package (in kg)	5,06

WHAT'S IN THE BOX	
HDMI cable	1.8
Displayport cable	1.8
Audio cable	1.8
USB-C to C cable	1.8
Power cable C13	1.8

OTHER INFORMATION	
Warranty period	3 years