



24P2QM

23.8" VA FHD monitor with an eye for comfort, with height adjustable stand and ergonomic features

The AOC 242P2QM is a 23.8" VA panel with FHD resolution and crisp and deep details, held in a three-side frameless chassis that you can adjust, pivot and tilt as needed for a comfortable user experience throughout long working hours. Easy on the eye with Anti-Glare, Low Blue Mode and Adaptive Sync to avoid blurriness. Essential but complete connectivity.

GENERAL	
Model Name	24P2QM
EAN	4038986140713
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	9/21/2022

SCREEN	
Screen size (inch)	23.8
Screen size (cm)	60.4
Flat / Curved	Flat
Display hardness	6H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2745
Pixels per Inch	93

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Matt
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Matt

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5~35°
Swivel	180
Pivot	Yes
Height adjust (mm)	150mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit
USB downstream ports	4
USB fast charge port	✓
RJ45	No
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)
Monitor Webcam	No

FEATURES

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	No
Kensington Lock	✓
Colour space (sRGB) CIE 1976 %	129
Colour space (DCI-P3) CIE 1931 %	94
Colour space (DCI-P3) CIE 1976 %	103
Colour space (Adobe RGB) CIE 1931 %	94
Colour space (Adobe RGB) CIE 1976 %	111

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.5
Energy class	E

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	540.2 x 384.4~513 x 200.1
Product dimensions excl. base (WxHxD) mm	540.2 x 326.4 x 50.7
Packaging dimensions (WxHxD) mm	634 x 513 x 160
Gross weight incl. package (in kg)	7.24
Net weight excl. package (in kg)	4.75

WHAT'S IN THE BOX

HDMI cable	1.8
Power cable C13	1.8

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (including panel)	50.000 hours