



## 24P3QW

**23.8" FHD flat IPS display for daily productivity in today's flexible office**

The AOC 24P3QW is a 23.8" flat-screen IPS monitor with an attractive three-sided ultrathin bezel design that offers the features and performance you need to get the most out of every workday. With enhanced Full HD (1920 x 1080) resolution, 300-nit brightness, and generous 178/178° wide viewing angles, viewing is always a pleasure.

### GENERAL

Model Name	24P3QW
EAN	4038986140775
Channel	B2B
Product line	Pro-line
Launch date (ETA)	1/18/2023

### SCREEN

Screen size (inch)	23.8
Screen size (cm)	60.5
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2745
Pixels per Inch	93

**EXTERIOR**

Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

**ERGONOMICS**

Vesa wallmount	100x100
Tilt	-5°~35°
Swivel	175°±5°
Pivot	-90°~90°
Height adjust (mm)	150mm

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 1.4 x 2
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.2
USB downstream ports	4
USB fast charge port	✓

**MULTIMEDIA**

Speakers	✓
Speaker power	5 W x 2
Built-in Microphone	✓
Audio Output	1x Audio out
Monitor Webcam	2MP Win Hello Webcam

**FEATURES**

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	✓
Colour space (sRGB) CIE 1976 %	106.5
Colour space (DCI-P3) CIE 1931 %	91.3
Colour space (DCI-P3) CIE 1976 %	99
Colour space (Adobe RGB) CIE 1931 %	123.9
Colour space (Adobe RGB) CIE 1976 %	124.3

**SUSTAINABILITY**

TCO Certified	9
Energy star	Energy star 8
EPEAT	Gold

**POWER / ENVIRONMENTAL**

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	D

**PRODUCT DIMENSIONS**

Product dimensions incl. base (WxHxD) mm	540 x (384.4-520.2) x 200.1
Product dimensions excl. base (WxHxD) mm	540 x 326.3 x 50.7
Packaging dimensions (WxHxD) mm	613 x 519 x 162
Gross weight incl. package (in kg)	8
Net weight excl. package (in kg)	5.06
Product without stand (kg)	3.35

**WHAT'S IN THE BOX**

HDMI cable	1.8
Displayport cable	1.8

**OTHER INFORMATION**

MTBF	70.000 hours (excluded backlight) + 30.000 hours (including backlight)
MTBF (excluding panel)	70.000 hours
MTBF (including panel)	30.000 hours