



The G-Sync compatible U32G3X/BK boasts a remarkable 31.5-inch display, showcasing stunning 4K UHD resolution at 3840x2160 for an unrivaled level of visual clarity. With an ultra-responsive 1ms GtG response time and a high 144Hz refresh rate, this monitor redefines your gameplay. Immerse yourself in the heat of battle or explore vast virtual worlds with unmatched precision and smoothness.

- Picture by Picture (PbP)
- Display Port
- HDMI
- HDMI 2.1
- Flicker Free
- Low Blue Light

PICTURE BY PICTURE (PBP)

Picture by Picture is a feature that allows you to make use of multiple sources (e.g. from your laptop and desktop PC) simultaneously and display them on the same screen. Its commanding overview gives you more control and boosts your efficiency both while streaming, working and playing considerably.



HDMI

HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).

DISPLAY PORT

DisplayPort offers ultra-fast digital audio and video transmission without quality loss or input lag. Quickly and easily connect a range of devices to your screen, including your computer, laptop, media player, game console and more. It's perfect for professionals as well as the most demanding home users.



HDMI 2.1

The latest standard in HDMI technology further boosts higher refresh rates and resolution. This not only opens new doors for watching content, but also for gamers: HDMI 2.1 enables next generation consoles to reach their maximum performance.

FLICKER FREE

AOC Flicker-Free Technology utilises a DC (Direct Current) backlight panel, reducing flickering light levels. With eye strain and fatigue absolutely minimized, feel free to enjoy those long, intense gaming sessions in comfort!

LOW BLUE LIGHT

AOC Lowblue Light protects you from harmful blue light which, during long sessions, has been shown to cause eye strain, headaches, and sleeping disorders. Our Lowblue Light feature reduces the harmful wavelengths emitted without sacrificing color composition, setting the experience free from the worry of eye damage.

| GENERAL | | VIDEO FEATURES | | ERGONOMICS | |
|------------------------|------------------|---|-------------------------------|--|------------------------------------|
| Model Name | U32G3X/BK | Sync technology (VRR) | Adaptive Sync | Tilt | -3.5° ±1.5° ~ 21.5° ±1.5° |
| Channel | Gaming | | NIVIDIA C-CVAIC | Hoight adjust | |
| Product line | AOC Gaming | NVIDIA G-SYNC™ | NVIDIA G-SYNC Compatible | Height adjust (mm) | 130mm |
| Design family | G3 | Digital Signal Frequency Vertical | 48~144hz (HDMI, DP) | Swivel | -30° ±1.5° ~ 30° |
| EAN | 4038986111430 | | | | ±1.5° |
| | | Digital Signal 30k~255khz | | | |
| DISPLAY INFORMATION | | Frequency | (HDMI), | GAMING FEATURES | |
| Screen size (inch) | 31,5 | Horizontal | 255k~255khz (DP) | Gaming style | Shooters, MMORPG, Action, |
| Screen size (cm) | 80,0 | HDR (High Dynamic Range) | VESA Certified DisplayHDR™ | | eSports, RTS, Beat'm up, Racing |
| Flat / Curved | Flat | | 400 | Game mode | RTS, FPS, Racing, |
| Panel treatment | Antiglare (AG) | Blue Light Technology | Low Blue Light | Same mode | Gamer 1, Gamer 2, |
| Pixel Pitch (mm) | 0,181 | Multiview (PbP, | PiP+PbP | | Off |
| Pixels per Inch | 139,0 | Multiview (PbP, PiP) | -II-IPDP | Gaming convenience | G-menu |
| Panel resolution | 3840x2160 | Colour space | 122,9 | PS5 Compatibility | 3840x2160@120Hz |
| Aspect ratio | 16:9 | (sRGB) CIE 1976 % | 0F-7 | Xbox X | 3840x2160@120Hz |
| Panel type | Fast IPS | Colour space (DCI-P3) CIE 1976 | 95,3 | Compatibility | |
| Backlight type | WLED | % | | Xbox S Compatibility | 3840x2160@120Hz |
| Max Refresh rate | 144 Hz | Colour space (Adobe RGB) CIE | 91,9 | , which is | |
| Response time GtG | 1 ms | 1976 % | | SUSTAINABILITY | |
| | lms | Flicker-Free | Flicker Free | WEEE | Yes |
| Response time MPRT | 1 ms | | | | |
| Static contrast | 1000:1 | CABINET INFORMATION | | POWER CONSUMPTION | |
| ratio | | Bezel Colour (front) | Black, Red | Power supply | Internal |
| Dynamic contrast ratio | 80M:1 | Cabinet colour | Black, Red | Power consumption on | 40,0 |
| Viewing angle | 178/178 | (backside) | | consumption on (typical) in watts | |
| (CR10) | | Cabinet finishing (backside) | Texture | Power consumption standby in watts | 0,5 |
| Display colours | 1.07 Billion | (backside) Removable stand | Vas | | |
| Brightness in nits | 400 cd/m2 | Removable stand Kensington Lock | Yes Yes | Power consumption off in watts | 0,3 |
| Local Dimming | Local Dimming 16 | Vesa wallmount | Yes 100x100 | | |
| Zones | zone | | IOOXIOO | | E |
| | | | | Energy class | F |

PRODUCT DIMENSIONS Product 715.3 x 457.1~587.1 x 258.8 dimensions incl. base (WxHxD) mm Product 715.3 x 421.8 × 47.6 dimensions excl. base (WxHxD) mm Packaging 905 x 528 x 204 dimensions (WxHxD) mm Gross weight incl. 10,89 package (in kg) Net weight excl. 7,79 package (in kg) Product without 6,41

WHAT'S IN THE BOX

stand (kg)

HDMI cable 1x
Displayport cable 1x
Power Cable Yes

OTHER INFORMATION

Warranty period 3 years