



I2080SW

195-inch display with IPS panel and integrated VESA mount

The versatile 19.5-inch AOC I2080SW delivers reliable performance for all your home computing needs. An IPS panel and 5ms response time ensure clear, detailed imagery and wide viewing angles, even for games and movies. With an integrated VESA mount, you also have the option to hang this display on the wall.

GENERAL	
Model Name	I2080SW
Channel	B2C
Product line	Basic-line
Design family	80 ID
Launch date (ETA)	12/27/2014

SCREEN	
Screen size (inch)	19.5
Screen size (cm)	49.53
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1440x900
Resolution name	WXGA+
Aspect ratio	16:10
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	5 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.2907

EXTERIOR

Bezel type (front)	Normal
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS

Vesa wallmount	100x100
Tilt	-3/10
Pivot	No

CONNECTIVITY AND MULTIMEDIA

USB Hub	-
USB fast charge port	-
D-SUB (VGA)	1x

MULTIMEDIA

Built-in Microphone	-
---------------------	---

FEATURES

Flicker-Free	No
Kensington Lock	✓

POWER / ENVIRONMENTAL

Power supply	External
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3

PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	375(H) x 454.6(W) x 190(D)
Packaging dimensions (WxHxD) mm	368(H) x 546(W) x 111(D)
Gross weight incl. package (in kg)	3.15
Product with stand (kg)	2.14

WHAT'S IN THE BOX

D-SUB (VGA) cable	1.2
Power cable C5	1.2

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE

ISO 9241-307	-
--------------	---