



G2460FQ

Powerful 24-inch monitor with 1ms response time and 144Hz refresh rate

This slim, stylish monitor is designed for the most demanding gamers with ultra-fast 1ms response time and a 144Hz refresh rates for smooth action sequences without lag or blur.

GENERAL

Model Name	G2460FQ
Channel	Gaming
Product line	AOC Gaming
Design family	60 ID
Launch date (ETA)	12/28/2014

SCREEN

Screen size (inch)	24
Screen size (cm)	60.96
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	TN
Backlight type	WLED
Max Refresh rate	144 Hz
Response time GtG	1 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	80M:1
Viewing angle (CR10)	170/160
Display colours	16.7 Million
Brightness in nits	350 cd/m2
Pixel Pitch (mm)	0.276

EXTERIOR

Bezel type (front)	Normal
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS

Vesa wallmount	100x100
Tilt	-5/20
Pivot	No

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	-
D-SUB (VGA)	1x
DVI	1x DVI-D

MULTIMEDIA

Speakers	✓
Speaker power	2 W x 2
Audio Output	Headphone out (3.5mm)

FEATURES

Flicker-Free	Flicker Free
--------------	--------------

GAMING FEATURES

Gaming convenience	G-menu
--------------------	--------

SUSTAINABILITY

TCO Certified	6
---------------	---

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.31
Power consumption off in watts	0.22
Energy class	C

PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	400.4(H) x 551.4(W) x 221(D)
Packaging dimensions (WxHxD) mm	435(H) x 693(W) x 127(D)
Gross weight incl. package (in kg)	5.45
Product with stand (kg)	4.16

WHAT'S IN THE BOX

HDMI cable	1.8
D-SUB (VGA) cable	1.8
Displayport cable	1.8
Audio cable	1.8
Power cable C7	1.8

OTHER INFORMATION

MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE

ISO 9241-307	✓
--------------	---