



## AG251FG

Ahead of the game with 240 Hz

The AOC AGON AG251FG is a 25" premium gaming monitor that offers intense on-screen action without tearing, stuttering or motion-blur, thanks to a 240 Hz refresh rate, NVIDIA G-SYNC and a 1 ms response time.

GENERAL	
Model Name	AG251FG
Channel	Gaming
Product line	AGON
Design family	AG1
Launch date (ETA)	5/29/2017

SCREEN	
Screen size (inch)	24.5
Screen size (cm)	62.23
Flat / Curved	Flat
Display hardness	ЗН
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	TN
Backlight type	WLED
Max Refresh rate	240 Hz
Response time GtG	1 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	170/160
Display colours	16.7 Million
Brightness in nits	400 cd/m2
Pixel Pitch (mm)	0.2802

1/3



EXTERIOR	
Bezel type (front)	Normal
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black, Silver
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	3,5/21,5
Swivel	-20/20
Pivot	Yes
Height adjust (mm)	130mm

CONNECTIVITY AND MULTIMEDIA	
HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.0 (4 USB downstream ports)
USB downstream ports	4
USB fast charge port	

MULTIMEDIA	
Speakers	/
Speaker power	2 W x 2
Built-in Microphone	/
Audio Output	Headphone out (3.5mm)

FEATURES	
Sync technology (VRR)	G-SYNC
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
Kensington Lock	✓ ·

2/3



GAMING FEATURES	
Gaming style	Shooters, Action, eSports
Gaming convenience	G-menu

SUSTAINABILITY	
TCO Certified	7

POWER / ENVIRONMENTAL	
Power supply	External
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.5
Energy class	G

PRODUCT DIMENSIONS (METRIC)	
Product dimensions incl. base (WxHxD) mm	545.21(H) x 566.65(W) x 218.25(D)
Packaging dimensions (WxHxD) mm	250(H) x 655(W) x 420(D)
Gross weight incl. package (in kg)	8.5
Product with stand (kg)	6.5

WHAT'S IN THE BOX	
HDMI cable	1.8
Displayport cable	1.8
Power cable C5	1.8

OTHER INFORMATION	
MTBF	50.000 hours (excluded backlight)
MTBF (excluding panel)	50.000 hours

REGULATORY COMPLIANCE	
ISO 9241-307	/

3/3