



Q3277PQU

Ergonomic 32" QHD display with 100 % sRGB

This large 32" QHD monitor produces highly detailed images in accurate colours (100 % sRGB). It also boasts ergonomic options as well as DisplayPort, HDMI and USB connectors.

GENERAL

| | |
|-------------------|-----------|
| Model Name | Q3277PQU |
| Channel | B2B |
| Product line | Pro-line |
| Design family | 77 ID |
| Launch date (ETA) | 7/31/2015 |

SCREEN

| | |
|------------------------|--------------|
| Screen size (inch) | 32 |
| Screen size (cm) | 81.28 |
| Flat / Curved | Flat |
| Display hardness | 3H |
| Panel resolution | 2560x1440 |
| Resolution name | QHD |
| Aspect ratio | 16:9 |
| Panel type | MVA |
| Backlight type | WLED |
| Max Refresh rate | 60 Hz |
| Response time GtG | 4 ms |
| Static contrast ratio | 3000:1 |
| Dynamic contrast ratio | 80M:1 |
| Viewing angle (CR10) | 178/178 |
| Display colours | 1.07 Billion |
| Brightness in nits | 300 cd/m2 |
| Pixel Pitch (mm) | 0.276 |

EXTERIOR

| | |
|------------------------------|---------------|
| Bezel type (front) | Narrow |
| Bezel Colour (front) | Black |
| Bezel finishing (front) | Glossy |
| Cabinet colour (backside) | Silver, Black |
| Cabinet finishing (backside) | Glossy |

ERGONOMICS

| | |
|--------------------|----------|
| Vesa wallmount | 100x100 |
| Tilt | -5/24 |
| Swivel | -165/165 |
| Pivot | Yes |
| Height adjust (mm) | 180mm |

CONNECTIVITY AND MULTIMEDIA

| | |
|----------------------|--|
| HDMI | HDMI 1.4 x 1 |
| DisplayPort | DisplayPort 1.2 x 1 |
| USB Hub | ✓ |
| USB Hub speed | USB 2.0 + 3.0 (4 USB downstream ports) |
| USB downstream ports | 4 |
| D-SUB (VGA) | 1x |
| DVI | 1x DVI-D |

MULTIMEDIA

| | |
|---------------|-----------------------|
| Speakers | ✓ |
| Speaker power | 3 W x 2 |
| Audio Output | Headphone out (3.5mm) |

FEATURES

| | |
|--------------|--------------|
| Flicker-Free | Flicker Free |
|--------------|--------------|

SUSTAINABILITY

| | |
|---------------|---|
| TCO Certified | 6 |
|---------------|---|

POWER / ENVIRONMENTAL

| | |
|------------------------------------|--------------------|
| Power supply | Internal |
| Power source | 100 - 240V 50/60Hz |
| Power consumption standby in watts | 0.5 |
| Power consumption off in watts | 0.5 |
| Energy class | B |

PRODUCT DIMENSIONS (METRIC)

| | |
|--|-------------------------------|
| Product dimensions incl. base (WxHxD) mm | 659(H) x 741.88(W) x 171.2(D) |
| Packaging dimensions (WxHxD) mm | 248(H) x 577(W) x 858(D) |
| Gross weight incl. package (in kg) | 15.31 |
| Product with stand (kg) | 11.55 |

WHAT'S IN THE BOX

| | |
|-------------------|-----|
| HDMI cable | 1.8 |
| D-SUB (VGA) cable | 1.8 |
| DVI cable | 1.8 |
| Displayport cable | 1.8 |
| Audio cable | 1.8 |
| Power cable C7 | 1.8 |

OTHER INFORMATION

| | |
|------------------------|-----------------------------------|
| MTBF | 50.000 hours (excluded backlight) |
| MTBF (excluding panel) | 50.000 hours |

REGULATORY COMPLIANCE

| | |
|--------------|---|
| ISO 9241-307 | ✓ |
|--------------|---|