# U27P2CA



### 27" productivity-focused monitor with 4K UHD resolution, USB-C with PD and **Adaptive Sync**

The U27P2CA is the perfect match for professionals and businesses who seek enhanced productivity and rich connectivity. It sports USB-C with 65W Power Delivery, 4 USB 3.2 and a 27" IPS panel with wide viewing angles and 4K UHD resolution. This monitor is also gaming ready with Adaptive Sync that ensures effortlessly smooth action



### **Features**



Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery. Additionally, the USB 3.1 ensures lightning-fast data transmission, so even transferring a 4K movie can be done in less than one minute




#### Power Delivery 65W

USB-C is a rising technology that allows fast data transfer, display signal and power delivery to recharge your devices while working. Through a single slim cable, AOC USB-C technology powers up to 65W, charging conventional low/high power devices (such as your mouse or keyboard), smartphones and laptops.



#### UHD (4K) Resolution

With a 4K UHD resolution of 3840 x 2160 pixels - four times the resolution of a Full HD display - the monitor boasts a pixel density that delivers brilliantly sharp images with the finest



#### **IPS Panel**

IPS panel ensures an excellent viewing experience with lifelike yet brilliant and accurate colors. Colors look consistent no matter from which angle you look at the display.



#### **Full Ergonomics**

Feel the comfort! AOC's height, tilt and swiveladjustable stands help you find the most comfortable and healthy position.



#### Pivot function

Thanks to its pivot function, your monitor can be rotated by 180° from landscape into portrait mode, especially useful for desktop publishing.

GENERAL	
Model Name	U27P2CA
Channel	B2B
Product line	Pro-line
Design family	P2
EAN	4038986189859

DISPLAY INFORMATION	
Screen size (inch)	27,0
Screen size (cm)	68,6
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,1554
Pixels per Inch	1638,0
Panel resolution	3840x2160
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	1.07 Billion
Brightness in nits	350 cd/m <sup>2</sup>

VIDEO FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Multiview (PbP, PiP)	PbP
Flicker-Free	Flicker Free

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture
Speaker power	2 W x 2
Kensington Lock	Yes
Vesa wallmount	100x100
MonitorWebcam	No

ERGONOMICS	
Tilt	-5/35
Height adjust (mm)	150mm
Swivel	-180/180
Pivot	Yes

SUSTAINABILITY	
TCO Certified	9
Energy star	Energy star 8
EPEAT	Silver
ECMA Eco declaration	Yes
Product carbon footprint (PCF)	Yes
WEEE	Yes
REACH compliant	Yes
RoHs compliant	Yes
PVC/BFR free housing	Yes
Mercury free	Yes
Recycable packaging material	100 % recycable
Low Halogen	Yes

POWER CONSUMPTION	
Power supply	Internal
Power consumption standby in watts	0,5
Power consumption off in watts	0,3
Energy class	G

## REGULATORY COMPLIANCE Microsoft WHQL Yes

CONNECTIVITY INFORMATION	
HDMI	HDMI 2.0 x 2
DisplayPort	DisplayPort 1.2 x 1
USB Hub	Yes
USB type downstream	4 x USB-A
USB fast charge port	Yes
Audio Output	Headphone out (3.5mm)
USB Type upstream	1x USB-C (DP Alt Mode), USB-C PD:65W
D-SUB (VGA)	0x
DVI	0x
RJ45	No

PRODUCT DIMENSIONS (METRIC)	
Product dimensions incl. base (WxHxD) mm	613.6 x (394.5~544.5) x 200.1
Product dimensions excl. base (WxHxD) mm	613.6 x 369.5 x 51.1
Packaging dimensions (WxHxD) mm	690 x 595 x 160
Gross weight incl. package (in kg)	9,6
Product with stand (kg)	7,1
Product without stand (kg)	5,1

WHAT'S IN THE BOX		
HDMI cable	1.8	
Displayport cable	1.8	
Power Cable	Yes	

OTHER INFORMAT	TION
Warranty period	3 years