

The AG324UX is a PC gaming monitor specifically designed to run next gen consoles at their maximum power output. 4K UHD resolution, 144Hz refresh rate guarantee the best performance on all platforms. FreeSync Premium and HDR400 add to the smooth experience for PC players.

- UHD (4K) Resolution
- USB-C
- Power Delivery 90W
- Superb color experience
- 144Hz Refresh Rate
- Ims Response time GTG -Grey-to-Grey

UHD (4K) RESOLUTION

With a 4K UHD resolution of 3840 x 2160 pixels – four times the resolution of a Full HD display – the monitor boasts a pixel density that delivers brilliantly sharp images with the finest details.

| Full HD 1920 x 1080 |
|----------------------------|
| Full HD 1920 x 1080 |

4K UHD 3840 x 2160



POWER DELIVERY 90W

USB-C is a rising technology that allows fast data transfer, display signal and power delivery to recharge your devices while working. Through a single slim cable, AOC USB-C technology powers up to 90W, charging conventional low/high power devices (such as your mouse or keyboard), smartphones and laptops.



144HZ REFRESH RATE

Equip yourself with twice the frame rate of other monitors and say goodbye to image stuttering and blurry motion. With a 144Hz refresh rate every frame is rendered sharply and in smooth succession, so you can line up your shots accurately and appreciate high speed races in all their glory.



USB-C

Simplify the connections with one cable only. The USB-C connection provides DisplayPort Alternate Mode for transferring high-resolution video signals from a notebook to the monitor while simultaneously charging the notebook's battery from the monitor with USB power delivery. Additionally, the USB 3.1 ensures lightning-fast data transmission, so even transferring a 4K movie can be done in less than one minute.



SUPERB COLOR EXPERIENCE

Dive into infinite different video games realms with graphics looking more lifelike than ever before. Our AOC monitors with a superb color experience come with over 1 billion shades and an extremely high DCI -P3. Gamers can also easily customize the color saturation to their preference.



1MS RESPONSE TIME GTG - GREY-TO-GREY

GtG stands for Grey-To-Grey and represents how long it takes for one pixel to change between one gray level to the next. In gaming, every millisecond counts and can be the differentiator between hitting or missing a shot. Fast response time also eliminates ghosting and motion blur.

| GENERAL | |
|----------------|-----------|
| Model Name | AG324UX |
| Brand | AOC |
| Channel | Gaming |
| Product type | Monitor |
| Product line | AGON PRO |
| Classification | Superhero |
| | |

GAMING FEATURES

| Gaming convenience | G-menu |
|-----------------------|--------|
| Low input Lag | Yes |

| CABINET INFORMATION | | |
|---------------------|--------------|--|
| Light FX (RGB) | Yes | |
| Speakers | Yes | |
| Speaker power | 8W x 2 + DTS | |

| Speakers | Yes | |
|---|--|------------------------------|
| Speaker power | 8W x 2 + DTS | CONNECTIVI |
| | | HDMI |
| PRODUCT DIMENSIONS (METRIC) | | Digital HDCP |
| Product dimensions incl. base (WxHxD) mm | 499.57~629.57 (H) ×714.07 (W) × 400.13 (D) | (HDMI version DisplayPort |
| | | Microphone in |
| Product dimensions excl. base (WxHxD) mm | 425.08 (H) × 714.07 (W) × 65.5 (D) | |

| mm | |
|---------------------------------------|--------------------------------|
| Packaging dimensions (WxHxD) mm | 822 (L) x 283 (W) x 603 (H) |
| Gross weight incl. package (in kg) | 15,2 |
| Product with stand (kg) | 10,0 |

| DISPLAY INFORMATION | | |
|---------------------|--|--|
| 31,5 | | |
| Flat | | |
| Antiglare (AG) | | |
| 3840x2160 | | |
| 16:9 | | |
| IPS | | |
| WLED | | |
| 144 Hz | | |
| 1 ms | | |
| 178/178 | | |
| 1.07 Billion | | |
| 350 cd/m2 | | |
| | | |

| CONNECTIVITY INFORMATION | |
|--------------------------------|------------------------------|
| HDMI | HDMI 2.1 x 2 |
| Digital HDCP (HDMI version) | HDCP 2.2 |
| DisplayPort | Display port 1.4 (DSC) x1 |
| Microphone in | Yes |

| VIDEO FEATURES | |
|---|---------------------------------------|
| Digital Signal Frequency Vertical | 48~144Hz (HDMI2.1/DP1.4) |
| Digital Signal Frequency Horizontal | 30~255kHz (HDMl2.1/DP1.4) |
| HDR (High Dynamic Range) | VESA Certified DisplayHDR™ 400 |
| Colour space (sRGB) CIE 1976 % | 125,0 |
| Colour space (DCI-P3) CIE 1976 % | 100,0 |
| Colour space (Adobe RGB) CIE 1976 % | 107,0 |
| Colour space (NTSC) CIE 1976 % | 109,0 |
| Flicker-Free | Flicker Free |
| KVM | 1x USB3.2 Gen 2 type C + 1x type B |
| | |