

- 165Hz Refresh Rate
- Height adjustable Stand
- IPS Panel
- Speakers
- Low Input Lag

MINIMAL BEZEL DISTRACTION FOR THE ULTIMATE BATTLE STATION

Expand your view with multiple monitor set-up. The narrow border and frameless design offer the minimal bezel distraction for the ultimate battle station.





165HZ REFRESH RATE

A 165Hz refresh rate, well over twice the industry standard of 60Hz, makes games run smooth as silk. Realize the potential in your graphics card. Forget screen tearing and forget motion blur. Feel your reflexes become one with the action. Never look back.

HEIGHT ADJUSTABLE STAND

Raise or lower the screen to suit each individual's height and seating preferences. The easy-to-adjust stand ensures hours of comfort.





Excellent viewing angle up to 178°



IPS PANEL

IPS panel ensures an excellent viewing experience with lifelike yet brilliant and accurate colors. Colors look consistent no matter from which angle you look at the display.

SPEAKERS

Built-in speakers make it easy to catch up with family, friends and colleagues. For movies, music, games and more, you'll enjoy quality audio without the hassle of connecting external speakers.



LOW INPUT LAG

Unleash your reflexes by switching to the AOC Low Input Lag mode. Forget graphical frills: this mode rewires the monitor in favour of raw response time, giving the ultimate edge in hair trigger stand offs.

GENERAL	
Model Name	27G2SPU/BK
Brand	AOC
Channel	Gaming
Product type	Monitor
Product line	AOC Gaming
Classification	Mainstream

GAMING FEATURES

Gaming convenience	G-menu
Low input Lag	Yes

)	
CABINET IN	FORMATION	
Speakers	Yes	
Speaker now	or 2\M/v2	

DISPLAY INFORMATION	
Screen size (inch)	27,0
Flat / Curved	Flat
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	165 Hz
Response time MPRT	1 ms
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2

VIDEO FEATURES	
Digital Signal Frequency Vertical	DP1.2: 48-165Hz / VGA+HDMI1.4 :48- 144Hz
Digital Signal Frequency Horizontal	DP1.2 : 30 -200KHz / VGA+HDMI1.4 : 30 -160KHz (H)
Colour space (sRGB) CIE 1976 %	123,0
Colour space (DCI-P3) CIE 1976 %	94,0
Colour space (Adobe RGB) CIE 1976 %	90,0
Colour space (NTSC) CIE 1976 %	107,0
Flicker-Free	Flicker Free

CONNECTIVITY INFORMATION	
HDMI	HDMI 1.4 x 2
DisplayPort	DisplayPort 1.2 x 1

PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	612.5(W)* (398.6~528.6) (H)*227.4(D)
Product 612 dimensions excl. base (WxHxD) mm	2.5(W)*365.8(H)*48.8(D)
Packaging dimensions (WxHxD) mm	730(W)*187(D)*520(H)
Gross weight incl. package (in kg)	7,35
Product with stand (kg)	5,07