



## 24P2QM

**23.8" VA FHD monitor with an eye for comfort, with height adjustable stand and ergonomic features**

The AOC 24P2QM is a 23.8" VA panel with FHD resolution and crisp and deep details, held in a three-side frameless chassis that you can adjust, pivot and tilt as needed for a comfortable user experience throughout long working hours. Easy on the eye with Anti-Glare, Low Blue Mode and Adaptive Sync to avoid blurriness. Essential but complete connectivity.

### GENERAL

Model Name	24P2QM
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	9/21/2022

### SCREEN

Screen size (inch)	23.8
Screen size (cm)	60.4
Flat / Curved	Flat
Display hardness	6H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.2745
Pixels per Inch	93

**EXTERIOR**

Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Matt
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Matt

**ERGONOMICS**

Vesa wallmount	100x100
Tilt	-5~35°
Swivel	180
Pivot	Yes
Height adjust (mm)	150mm

**CONNECTIVITY AND MULTIMEDIA**

HDMI	HDMI 1.4 x 1
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1
USB Hub	✓
USB Hub speed	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit
USB downstream ports	4
USB fast charge port	✓
RJ45	No
D-SUB (VGA)	1x
DVI	1x DVI-D

**MULTIMEDIA**

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)
MonitorWebcam	No

## FEATURES

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	No
Kensington Lock	✓
Colour space (sRGB) CIE 1976 %	129
Colour space (DCI-P3) CIE 1931 %	94
Colour space (DCI-P3) CIE 1976 %	103
Colour space (Adobe RGB) CIE 1931 %	94
Colour space (Adobe RGB) CIE 1976 %	111

## SUSTAINABILITY

TCO Certified	9
Energy star	Energy star 8
EPEAT	Gold

## POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.5
Energy class	E

## PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	540.2 x 384.4~513 x 200.1
Product dimensions excl. base (WxHxD) mm	540.2 x 326.4 x 50.7
Packaging dimensions (WxHxD) mm	634 x 513 x 160
Gross weight incl. package (in kg)	7.24
Product with stand (kg)	4.75

WHAT'S IN THE BOX	
HDMI cable	1.8
Power Cable	✓
Power cable C13	1.8

OTHER INFORMATION	
MTBF	50.000 hours (excluded backlight)
MTBF (including panel)	50.000 hours