



Q27B3MA/BK

Reliable, comfortable, and convenient solution for your home office

The AOC Q27B3MA is a 27" three-side frameless monitor that can fully support your daily workflow, for a reliable home office, mixing quality and comfort. Enjoy great quality image with QHD resolution, wide angles and peak 300 nits brightness. It also includes a good array of connectivity options and internal speakers

GENERAL	
Model Name	Q27B3MA/BK
Channel	B2B, B2C
Product line	Basic-line
Design family	B3
Launch date (ETA)	8/21/2022

SCREEN	
Screen size (inch)	27
Screen size (cm)	68.6
Flat / Curved	Flat
Display hardness	6H
Panel treatment	Antiglare (AG)
Panel resolution	2560x1440
Resolution name	QHD
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	4000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.2331

1/3



EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Matt
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Matt

ERGONOMICS	
Vesa wallmount	100x100
Tilt	¬3.5° ±1.5° ~ 21.5° ±1.5°
Pivot	No

CONNECTIVITY AND MULTIMEDIA	
HDMI	HDMI 1.4 x 2
Digital HDCP (HDMI version)	HDCP 1.4
DisplayPort	DisplayPort 1.2 x 1
USB Hub	-
USB fast charge port	-
RJ45	No
D-SUB (VGA)	0x

MULTIMEDIA	
Speakers	✓ ·
Speaker power	2 W x 2
Audio Output	Headphone out (3.5mm)

FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	No

2/3



POWER / ENVIRONMENTAL	
Power supply	External
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	F

PRODUCT DIMENSIONS (METRIC)	
Product dimensions incl. base (WxHxD) mm	614 x 460 x 229.8
Product dimensions excl. base (WxHxD) mm	614 x 363.8 x 44.7
Packaging dimensions (WxHxD) mm	690 x 453 x 142
Gross weight incl. package (in kg)	6.31
Product with stand (kg)	3.82

WHAT'S IN THE BOX	
HDMI cable	1.5