



27P2C

Total comfort and connectivity in a 27" Full HD display with USB-C and KVM

The perfect choice for today's seeking to make the most of every work day, the 27P2C offers a flat 27" IPS/3FL panel with Full HD resolution and wide viewing angles of 178°/178°. Its elegant 3-sided frameless display features a built-in KVM switch. Highly connectable, this model is compatible with HDMI, DP, and USB-C technology, includes a USB 3.2 hub, and offers users an array of comfort options such as a fully adjustable, tiltable, swivelable stand as well as eye-friendly technologies like Low Blue Mode and Flicker-Free.

GENERAL

Model Name	27P2C
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	7/1/2020

SCREEN	
Screen size (inch)	27
Screen size (cm)	68.58
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	300 cd/m2
Pixel Pitch (mm)	0.3114

EXTERIOR	
Bezel type (front)	3-sided frameless
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture

ERGONOMICS	
Vesa wallmount	100x100
Tilt	-5/35
Swivel	-180/180
Pivot	Yes
Height adjust (mm)	150mm

CONNECTIVITY AND MULTIMEDIA

HDMI	HDMI 1.4 x 1
DisplayPort	DisplayPort 1.2 x 1
USB-C connectivity	USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W)
USB Hub	✓
USB Hub speed	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit
USB downstream ports	4
USB fast charge port	✓

MULTIMEDIA

Speakers	✓
Speaker power	2 W x 2
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES

Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	1x USB3.2 Gen 2 type C + 1x type B
Kensington Lock	✓

SUSTAINABILITY

TCO Certified	8
Energy star	Energy star 8

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.3
Power consumption off in watts	0.3
Energy class	E

PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	544.5(H) x 613.6(W) x 200.1(D)
Product dimensions excl. base (WxHxD) mm	369.5(H) x 613.6(W) x 51.1(D)
Packaging dimensions (WxHxD) mm	595(H) x 690(W) x 160(D)
Gross weight incl. package (in kg)	8.4
Product with stand (kg)	5.87

WHAT'S IN THE BOX

HDMI cable	1.8
Displayport cable	1.8
Power cable C13	1.8