



## **16T3EA**

Productivity at your fingertips with the portable USB-C display 16T3E

The 16T3E expands your working and gaming space in an instant. The slim and super light 15.6" IPS display boasts vivid colors. Connect to a laptop or smartphone via USB-C within seconds and is easily set up.

GENERAL	
Model Name	16T3EA
UPC	685417731084
Channel	B2C, B2B
Product line	Style-line
Design family	ТЗ

SCREEN	
Screen size (inch)	15.6
Screen size (cm)	39.6
Flat / Curved	Flat
Display hardness	ЗН
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	700:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	170/170
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.1793

1/3



EXTERIOR	
Bezel type (front)	SNB
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Metal

ERGONOMICS	
Vesa wallmount	75x75, 100x100
Tilt	5/25
Pivot	Yes

CONNECTIVITY AND MULTIMEDIA	
USB-C connectivity	USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 15 W)

MULTIMEDIA	
Speakers	-
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES	
Flicker-Free	Flicker Free
Colour space (sRGB) CIE 1976 %	52.7
Colour space (DCI-P3) CIE 1931 %	47.2
Colour space (DCI-P3) CIE 1976 %	42
Colour space (Adobe RGB) CIE 1931 %	47.5
Colour space (Adobe RGB) CIE 1976 %	45.2

SUSTAINABILITY	
TCO Certified	No

2/3



POWER / ENVIRONMENTAL	
Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	С

PRODUCT DIMENSIONS (METRIC)	
Product dimensions incl. base (WxHxD) mm	363.7 x 229.3 x 12.5
Packaging dimensions (WxHxD) mm	467 x 313 x 102
Gross weight incl. package (in kg)	1.83
Product with stand (kg)	0.83

WHAT'S IN THE BOX	
USB-C to C cable	1.8
Power adaptor	/
Other	Carrying case

REGULATORY COMPLIANCE	
ISO 9241-307	✓ ·