



16T3EA

Productivity at your fingertips with the portable USB-C display 16T3E

The 16T3E expands your working and gaming space in an instant. The slim and super light 15.6" IPS display boasts vivid colors. Connect to a laptop or smartphone via USB-C within seconds and is easily set up.

GENERAL

Model Name	16T3EA
UPC	685417731084
Channel	B2C, B2B
Product line	Style-line
Design family	T3

SCREEN

Screen size (inch)	15.6
Screen size (cm)	39.6
Flat / Curved	Flat
Display hardness	3H
Panel resolution	1920x1080
Resolution name	FHD
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	700:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	170/170
Display colours	16.7 Million
Brightness in nits	250 cd/m2
Pixel Pitch (mm)	0.1793

EXTERIOR

Bezel type (front)	SNB
Bezel Colour (front)	Black
Bezel finishing (front)	Texture
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Metal

ERGONOMICS

Vesa wallmount	75x75, 100x100
Tilt	5/25
Pivot	Yes

CONNECTIVITY AND MULTIMEDIA

USB-C connectivity	USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 15 W)
--------------------	--

MULTIMEDIA

Speakers	-
Built-in Microphone	-
Audio Output	Headphone out (3.5mm)

FEATURES

Flicker-Free	Flicker Free
Colour space (sRGB) CIE 1976 %	52.7
Colour space (DCI-P3) CIE 1931 %	47.2
Colour space (DCI-P3) CIE 1976 %	42
Colour space (Adobe RGB) CIE 1931 %	47.5
Colour space (Adobe RGB) CIE 1976 %	45.2

POWER / ENVIRONMENTAL

Power supply	Internal
Power source	100 - 240V 50/60Hz
Power consumption standby in watts	0.5
Power consumption off in watts	0.3
Energy class	C

PRODUCT DIMENSIONS (METRIC)

Product dimensions incl. base (WxHxD) mm	363.7 x 229.3 x 12.5
Packaging dimensions (WxHxD) mm	467 x 313 x 102
Gross weight incl. package (in kg)	1.83
Product with stand (kg)	0.83

WHAT'S IN THE BOX

USB-C to C cable	1.8
Power adaptor	✓
Other	Carrying case

REGULATORY COMPLIANCE

ISO 9241-307	✓
--------------	---