

UNLEASH YOUR POTENTIAL

POWERED BY

27G15N2



Experience unparalleled gaming with the 27G15N2. This 27-inch monitor features a Full HD resolution, 180Hz refresh rate, and 1ms G2G response time on a VA panel. Enjoy vivid HDR10 visuals and seamless gameplay with AdaptiveSync and Low Input Lag. Plus, FlickerFree and Low Blue Mode technologies ensure comfort during long sessions.

- Low Blue Light
- Flicker Free
- Low Input Lag
- 180Hz Refresh Rate
- VA Panel
- Adaptive sync

LOW BLUE LIGHT

AOC Lowblue Light protects you from harmful blue light which, during long sessions, has been shown to cause eye strain, headaches, and sleeping disorders. Our Lowblue Light feature reduces the harmful wavelengths emitted without sacrificing color composition, setting the experience free from the worry of eye damage.





FLICKER FREE

AOC Flicker-Free Technology utilises a DC (Direct Current) backlight panel, reducing flickering light levels. With eye strain and fatigue absolutely minimized, feel free to enjoy those long, intense gaming sessions in comfort!

AOC GAMING 27G15N2

LOW INPUT LAG

Unleash your reflexes by switching to the AOC Low Input Lag mode. Forget graphical frills: this mode rewires the monitor in favour of raw response time, giving the ultimate edge in hair trigger stand offs.



180HZ REFRESH RATE

Competitive and intense gaming demands the best technology to ensure lag-free, smoother gaming. This AGON by AOC monitor features a 180Hz refresh rate, making it 3x faster than a standard display. A lower frame rate can make enemies appear to jump from spot to spot on the screen, making them very difficult targets to hit. A 180Hz frame rate restores those critical missing images back onto the screen, revealing enemy movements in ultra-smooth motion, letting you more easily target. With this AGON by AOC gaming monitor, you won't have to put up with input-lag and screen tearing.



VA PANEL

VA Panels (Vertical Alignment) display deeper blacks and a high contrast for extra vivid and bright images.



ADAPTIVE SYNC

Adaptive Sync aligns your monitor's vertical refresh rate with the frame rate delivered by your GPU, making your gameplay and casual gaming experience even more fluid by eliminating stuttering, tearing and judder. This feature is also useful when enjoying videos and other visual media, for a smoother entertainment.

AOC GAMING 27G15N2

Model Name 27C15N2 Sync technology (MRI) Adaptive Sync technology (MRI) Power consumption on consumption of c	CENEDAL		NIDEO EL TUDEO		DOWED CONCLINED ON	
Brand AOC (MR) I DRI 10 (consumption on consumption of consumption	GENERAL		VIDEO FEATURES		POWER CONSUMPTION	
Parallo	Model Name	27G15N2		Adaptive Sync	Power supply	External
Channel Gaming Dynamic Range) (typical) in watts Today (typical) in watts ADC Gaming Blue Light Pechanology Low Blue Light Enchanology Power consumption standby in watts Q-33 Q-34	Brand	AOC	<u> </u>	HDD 10		19,9
Design family	Channel	Gaming		חשא וט		
Design and part Part Design and part De	Product line	AOC Gaming	Technology		consumption	0,43
Series 1939/96/182294 1939/96/18294	Design family	G1				
DispLAY INFORMATION Colour space (pCLP3) CIE 1976 (pCLP	EAN	4038986182294		133,98		0,38
Screen size (inch) 27,0 % Energy class E Screen size (cm) 68,6 Flicker-Free Flicker-Free CONNECTIVITY INFORMATION Flat / Curved Flat CABINET INFORMATION HDMI HDMI 2.0 x1 Panel treatment Antiglare (AG) Bezel Colour (front) Black DisplayPort DisplayPort 1.4 x1 Panel resolution 1920x1080 Cabinet colour (front) Black Audio Output Headphone out (3.5mm) Aspect ratio 16.9 Cabinet finishing (backside) Matt Product dimensions incl. dimensions excl. dime			(DCI-P3) CIE 1976	93,43		
Screen size (Inch) 27/0 Flicker-Free Flicker Free CONNECTIVITY INFORMATION Flat / Curved Flat CABINET INFORMATION HDMI HDMI 2.0 x1 Panel treatment Antiglare (AG) Bezel Colour (front) Black DisplayPort DisplayPort 1.4 x1 Panel resolution 1920x1080 Cabinet colour (backside) Black Audio Output Headphone out (3.5mm) Aspect ratio 16.9 Cabinet finishing (backside) Matt PRODUCT DIMENSIONS (METRIC) Panel type Fast VA Cabinet finishing (backside) Matt Product dimensions incl. 613.4 x 464.8 x 210.2 2					Energy class	E
Filt / Curved Flat Panel treatment Antiglare (AG) Pixels per Inch 81.59 Raped tration 16:9 Panel type Fast VA Backlight type WLED Response time GtG Response time Articlation Tation Panel treatment Static contrast ratio Dynamic Static Ration ratio	Screen size (inch)	27,0		Flicker Free		
Flat / Curved Flat CABINET INFORMATION HDMI 2.0 x1 Panel treatment	Screen size (cm)	68,6		Flicker Free	CONNECTIVITY IN	FORMATION
Panel treatment Antiglare (AG) Pixels per Inch 81.59 Rapect ratio 1920x1080 Aspect ratio 16.9 Panel type Fast VA Cabinet colour (backside) Removable stand Ves Max Refresh rate 180 Hz Response time Otto Response time MPRT Static contrast ratio Static contrast ratio Dynamic contrast ratio Pixels per Inch 181.59 Romanic contrast ratio Dynamic contrast	Flat / Curved	Flat	CARINET INCODMATION			
Pixels per Inch 81,59 (front) Iteadphone out (backside) Audio Output (3.5mm) Headphone out (3.5mm) Panel resolution 16:9 Cabinet colour (backside) Black PRODUCT DIMENSIONS (METRIC) Panel type Fast VA Cabinet finishing (backside) Matt Product dimensions incl. base (WXHXD) mm 613.4 x 464.8 x 210.2 base (WXHXD) mm Backlight type I 80 Hz Vesa wallmount 100x100 Product dimensions incl. base (WXHXD) mm 210.2 base (WXHXD) mm Response time QTG I ms Tilt -5, 23 Product dimensions excl. base (WXHXD) mm 613.4 x 365.0 x 50.0 dimensions excl. base (WXHXD) mm Static contrast ratio 3000:1 GAMING FEATURES Packaging dimensions (WXHXD) mm 670 x 450 x 130 dimensions (WXHXD) mm Viewing angle (CR10) 178/178 PSS Compatibility PSS Compatibility PSS Compatibility Product with square (kg) 4,11 square (kg) Display colours 16.7 Million Xbox X Compatibility 1920x1080@120Hz WHAT'S IN THE BOX Long (kg) Brightness in nits 200 cd/m² Xbox S Compatibility 1920x1080@120Hz HolMic able 1x	Panel treatment	Antiglare (AG)				
Panel resolution 1920x1080 Cabinet colour (backside) Black (3.5mm) Aspect ratio 16.9 Cabinet finishing (backside) Matt PRODUCT DIMENSIONS (METRIC) Backlight type WLED Removable stand Yes Product dimensions incl. base (WxHxD) mm 613.4 x 464.8 x 210.2 Max Refresh rate 180 Hz Vesa wallmount 100x100 Product dimensions incl. base (WxHxD) mm 613.4 x 365.0 x 50.0 dimensions excl. base (WxHxD) mm Response time MPRT 1 ms Tilt -5, 23 Product dimensions excl. base (WxHxD) mm 613.4 x 365.0 x 50.0 dimensions excl. base (WxHxD) mm Static contrast ratio 3000:1 GAMING FEATURES Packaging dimensions (WxHxD) mm 670 x 450 x 130 dimensions (WxHxD) mm Viewing angle (CRIO) 178/178 Saming style PSS Compatibility Shooters, MMORPC, Action, exports, RTS, Beat'm up, Racing Package (in kg) Foroduct with stand (kg) 5,52 package (in kg) Viewing angle (CRIO) 16.7 Million Xbox X Compatibility 1920x1080@120Hz WHAT'S IN THE BOX Brightness in nits 300 cd/m² Xbox S Compatibility 1920x1080@120Hz HDMI cable 1x	Pixels per Inch	81,59		ВІаск		
Aspect ratio 169 Cabinet finishing (backside) PRODUCT DIMENSIONS (METRIC)	Panel resolution	1920x1080		Black	Audio Output	
Backlight type WLED Removable stand Yes Product dimensions incl. base (WXHXD) mm Product dimensions excl. base (WXHXD) mm Product with stand (MXHXD) mm Product	Aspect ratio	16:9				
Removable stand Yes Max Refresh rate 180 Hz Vesa wallmount 100x100 Response time GtG Response time MPRT Static contrast ratio Dynamic contrast ratio Viewing angle (CR10) Display colours Fightness in nits Displaycolours Fightness in nits Amount 100x100 Vesa wallmount 100x100 Vesa wallmount 100x100 Product dimensions excl. base (WxHxD) mm Packaging dimensions (WxHxD) mm Packaging dimensions (WxHxD) mm Fightness in nits Amount Product dimensions excl. base (WxHxD) mm Packaging dimensions (WxHxD) mm Fightness in nits Amount Product dimensions excl. base (WxHxD) mm Fightness in nits Amount Product dimensions excl. base (WxHxD) mm Fightness in nits Amount Product dimensions excl. base (WxHxD) mm Fightness in nits Amount Product dimensions excl. base (WxHxD) mm Fightness in nits Amount Product with stand (kg) Froduct with stand (kg) F	Panel type	Fast VA		Matt	PRODUCT DIMENSIONS (METRIC)	
Max Refresh rate 180 Hz Vesa wallmount 100x100 base (MXHXD) mm Response time OtGG 1 ms FRGONOMICS Product dimensions excl. base (MXHXD) mm 613.4 x 365.0 x 50.0 dimensions excl. base (MXHXD) mm Static contrast ratio 3000:1 CAMING FEATURES Packaging dimensions (MXHXD) mm 670 x 450 x 130 dimensions (MXHXD) mm Dynamic contrast ratio 80M:1 Shooters, MMORPG, Action, eSports, RTS, Beat'm up, Racing (CR10) Gross weight incl. package (in kg) 5,52 package (in kg) Viewing angle (CR10) 16.7 Million PSS Compatibility 1920x1080@120Hz Compatibility Product with stand (kg) 4,11 stand (kg) Brightness in nits 300 cd/m² Xbox X Compatibility 1920x1080@120Hz Compatibility WHAT'S IN THE BOX HDMI cable 1x descriptions	Backlight type	WLED	Removable stand	Yes	dimensions incl. base (WxHxD)	
Response time CtG	Max Refresh rate	180 Hz	Vesa wallmount	100×100		
Response time MPRT Tilt -5, 23 dimensions excl. base (WxHxD) mm Static contrast ratio		1 ms				613 4 × 365 0 × 50 0
MPRT Static contrast ratio Substitution of the product with stand (kg) MPRT Static contrast ratio Substitution of the product with stand (kg) Packaging dimensions (WXHXD) mm Shooters, MMORPG, Action, eSports, RTS, Beat'm up, Racing Product with stand (kg) Product with stand (kg) Product with stand (kg) Product with stand (kg) Shooters, MMORPG, Action, eSports, RTS, Beat'm up, Racing Product with stand (kg) Product with stand (kg) WHAT'S IN THE BOX HDMI cable 1x	Response time	1 ms	ERGONOMICS		dimensions excl.	013.1 / 003.0 / 00.0
ratio Dynamic contrast ratio Dynamic contrast Roman			Tilt	-5, 23		
Dynamic contrast ratio Shooters, MMORPG, Action, eSports, RTS, Beat'm up, Racing Display colours Brightness in nits Oaming style Shooters, MMORPG, Action, eSports, RTS, Beat'm up, Racing PS5 Compatibility Display colours Shooters, MMORPG, Action, eSports, RTS, Beat'm up, Racing Product with stand (kg) Product with stand (kg) WHAT'S IN THE BOX Abox S Compatibility WHAT'S IN THE BOX HDMI cable 1x		3000:1				670 x 450 x 130
Viewing angle (CR10) Display colours Brightness in nits Table						
Viewing angle (CR10) 178/178 PS5 Compatibility PS5 Compatibility 1920x1080@120Hz Stand (kg) Product with stand (kg) Froduct with stand (kg) WHAT'S IN THE BOX AND THE BOX Compatibility To make the compatibility (compatibility) The compatibility (compatibility) The compatibility (compatibility) Stand (kg) WHAT'S IN THE BOX HDMI cable 1x		80M:1	Gaming style	MMORPG, Action, eSports, RTS,		5.52
(CR10) Display colours 16.7 Million Brightness in nits 300 cd/m² Xbox X Compatibility 1920x1080@120Hz Compatibility The product with stand (kg) WHAT'S IN THE BOX HDMI cable 1x	Viewing angle					
Display colours 16.7 Million Starta (19) Xbox X 1920x1080@120Hz Compatibility Xbox S 1920x1080@120Hz Compatibility HDMI cable 1x	· · ·		PS5 Compatibility			4,11
Brightness in nits 300 cd/m² Compatibility Xbox S 1920x1080@120Hz Compatibility HDMI cable 1x	Display colours	16.7 Million			Stario (kg)	
Xbox S 1920x1080@120Hz Compatibility HDMI cable 1x	Brightness in nits	300 cd/m ²		1320/1000@120112	WHAT'S IN THE BO	ΟX
				1920x1080@120Hz		
					Displayport cable	lx

Warranty period 3 years

Power adaptor

OTHER INFORMATION

Yes

AOC GAMING 27G15N2